



DREAMS FABRICATED TO PERFECTION



**TRIUNE
TECHNOFAB**
PRIVATE LIMITED

WWW.TRIUNETECHNOFAB.COM



VISION

To be the pre-eminent partner globally
for Industrial & Manufacturing services.



MISSION

To achieve our goals through the creation of
sustainable value by making the best use of talent
and technology. To always ensure that our actions
should have a positive impact on the environment
and society.



VALUES

Integrity, Quality, Teamwork,
Mentorship, Innovation

STORAGE SOLUTIONS


TROLLEY & CABINETS



DRAWER MOBILE TROLLEY					
S.No	Width	Depth	Height	Unit	Drawers
1	685	465	955	mm	6
	27	18.3	37.6	inch	
2	685	465	886	mm	5
	27	18.3	34.6	inch	
3	685	465	795	mm	4
	27	18.3	31.3	inch	
4	679	461	830	mm	3
	26.7	18.1	32.7	inch	

2 DOOR TROLLEY				
	Width	Depth	Height	Unit
1	679	461	830	mm
1	26.7	18.1	32.7	inch

2 DOOR WALL CABINET				
	Width	Depth	Height	Unit
1	764	306	768	mm
1	30.1	12	30.2	inch



STORAGE SOLUTIONS


RACKS



S.No	Type	Width (in)	Depth (in)	Height (in)	No. of Shelves	Capacity/Shelf (lbs)	Shelf
1	Rivet Rack	36	18	72	5	800	Laminated Wood
2	Rivet Rack	36	18	72	4	1000	Wire Deck
3	Rivet Rack	48	24	78	5	1000	Wire Deck
4	Rivet Rack	48	24	78	5	1000	Wire Deck
5	Rivet Rack	36	18	72	4	1000	Wire Deck
6	Rivet Rack	48	24	78	5	1000	Wire Deck
7	Rivet Rack	48	24	78	5	1000	Wire Deck
8	Rivet Rack	36	18	72	5	800	Laminated Wood
9	Rivet Rack	48	24	72	5	800	Laminated Wood
10	Rivet Rack	36	18	72	5	1000	Wire Deck
11	Rivet Rack	48	24	72	5	1000	Wire Deck
12	Rivet Rack	48	24	72	5	600	Wire Deck
13	Rivet Rack	48	24	72	5	1000	Wire Deck
14	Welded Rack	77	24	72	3	1500	Wire Deck
15	Welded Rack	72	24	72	4	2000	Wire Deck
16	Welded Rack	65	24	54	3	1200	Wire Deck
17	Welded Rack	77	24	78	4	1500	Wire Deck
18	Welded Rack	84	24	84	4	1500	Wire Deck
19	Welded Rack	77	24	72	3	1500	Wire Deck
20	Welded Rack	48	18	48	3	1500	Wire Deck
21	Welded Rack	65	24	54	3	2500	Wire Deck
22	Welded Rack	65	24	54	3	2500	Wire Deck
23	Welded Rack	77	24	78	4	2500	Wire Deck
24	Welded Rack	77	24	78	4	2500	Wire Deck
25	Welded Rack	90	24	90	5	1800	Wire Deck
26	Welded Rack	90	24	90	5	1800	Wire Deck
27	Welded Rack	77	24	72	3	1500	Wire Deck
28	Welded Rack	77	24	72	4	2000	Wire Deck
29	Wire Rack	47.7	18	72	5	350	Wire Deck
30	Wire Rack	47.7	18	72	5	350	Wire Deck
31	Wire Rack	35.7	14	53	4	350	Wire Deck
32	Wire Rack	23	13.4	30.5	3	160	Wire Deck
33	Wire Rack	35.7	14	53	4	350	Wire Deck
34	Wire Rack	47.7	18	72	6	600	Wire Deck
35	Wire Rack	36	16	72	5	350	Wire Deck
36	Wire Rack	47.7	18	72	5	350	Wire Deck
37	Wire Rack	24	19.7	38	3	150	Wire Deck

STORAGE SOLUTIONS

WIRE SHELVING




S.No	Type	Width (in)	Depth (in)	Height (in)	No. of Shelves	Capacity/Shelf (lbs)	Shelf
1	Wire Rack	47.7	18	72	5	350	Wire Deck
2	Wire Rack	47.7	18	72	5	350	Wire Deck
3	Wire Rack	35.7	14	53	4	350	Wire Deck
4	Wire Rack	23	13.4	30.5	3	160	Wire Deck
5	Wire Rack	35.7	14	53	4	350	Wire Deck
6	Wire Rack	47.7	18	72	6	600	Wire Deck
7	Wire Rack	36	16	72	5	350	Wire Deck
8	Wire Rack	47.7	18	72	5	350	Wire Deck
9	Wire Rack	24	19.7	38	3	150	Wire Deck

CANTILEVER ARM



- Arm lengths of 6", 10", and 12"
- Cantilever arms that can be adjusted in 2.35" increments
- Product Weight: 23.05
- Product Length: 36.5
- Finish: Yellow / Black Powder Coating
- Material: Steel
- Maximum Weight Capacity: 273 lb.
- Mounting Location: Wall / Structure
- Product Depth: 12.25
- Product Height: 3'
- Weight Capacity Per Shelf: 16 lb., 25 lb., 50 lb.



STORAGE SOLUTIONS

TOOL STORAGE

TOOL CHEST	Width	Depth	Height	Unit
4 DRAWER	660	305	365	mm
	26	12	14.4	inch
3 DRAWER	672	310	249	mm
	26.5	12.2	9.8	inch
2 DRAWER	672	310	195	mm
	26.5	12.2	7.7	inch



GARAGE


STOOLS



S.No	Description	Seat Capacity	Depth	Width	Height	Weight	Material
1	Swivel Shop Stool	300lbs	17.25"	17.25"	30"	19.74 lbs	Steel
2	Adjustable Shop Stool with Castors	300lbs	15.75"	15.75"	22.5" - 26.75"	20.5 lbs	Steel

WORK SUPPORTS


MITER SAW STANDS



S.No	Weight Capacity	Length	Width	Height	Weight	Material	Material Support Extension
1	400lbs	51.81"	30.88"	36.72"	50 lbs	Steel	8'
2	400lbs	98.4"	29.5"	32-1/4"	42 lbs	Steel	8'
4	300lbs	60.25"	24.59"	36.63"	63.1 lbs	Steel	8'

SAWHORSE

Description	Width	Height	Capacity	Weight (lbs)
Hybrid Sawhorse	26.91"	32.41"	2500 lbs	13.75
Plastic Sawhorse (Pack of 2)	27"	32"	1000 lbs	12.82
Metal Sawhorse	43"	30"	1100 lbs	14.68
Essential Metal Sawhorse	33.66"	28.9"	500 lbs	6.05
Triune Metal Welding Sawhorse	45"	33"	1100 lbs	28.81
Carpentry Metal Sawhorse	40"	32"	1300 lbs	28.81



WALL SUPPORTS

CORNER BEADS




Material	Size	Description
Shiny (G40)	6'	1-1/4X8' GR DW CRNR BEAD SHINY 63/CTN
Shiny (G40)	6'9"	1-1/4X9' GR DW CRNR BEAD SHINY 56/CTN
Shiny (G40)	6'10"	1-1/4X10' GR DW CRNR BEAD SHINY 50/CTN
Shiny (G40)	7'	1-1/4X6'-9" GR DW CRNR BEAD DULL 74/CTN
Shiny (G40)	8'	1-1/4X8' GR DW CRNR BEAD DULL 63/CTN
Shiny (G40)	9'	1-1/4X9' GR DW CRNR BEAD DULL 56/CTN
Shiny (G40)	10'	1-1/4X10' GR DW CRNR BEAD DULL 50/CTN
Shiny (G40)	12'	1-1/4X12' GR DW CRNR BEAD DULL 42/CTN
Dull (G30)	6'	1-1/4X8' GR DW CRNR BEAD SHINY 63/CTN
Dull (G30)	6'9"	1-1/4X9' GR DW CRNR BEAD SHINY 56/CTN
Dull (G30)	6'10"	1-1/4X10' GR DW CRNR BEAD SHINY 50/CTN
Dull (G30)	7'	1-1/4X6'-9" GR DW CRNR BEAD DULL 74/CTN
Dull (G30)	8'	1-1/4X8' GR DW CRNR BEAD DULL 63/CTN
Dull (G30)	9'	1-1/4X9' GR DW CRNR BEAD DULL 56/CTN
Dull (G30)	10'	1-1/4X10' GR DW CRNR BEAD DULL 50/CTN
Dull (G30)	12'	1-1/4X12' GR DW CRNR BEAD DULL 42/CTN

STRUT CHANNELS

S.No	Strut Channel Size	Surface	Hole Size
1	MS STRUT CHANNEL 41 x 21 x 1.5mm Thick x 3 Mtr	Black	14*28MM
2	MS STRUT CHANNEL 41 x 41 x 1.5mm Thick x 3 Mtr	Black	
3	MS STRUT CHANNEL 41 x 21 x 2.0mm Thick x 3 Mtr	Black	14*28MM
4	MS STRUT CHANNEL 41 x 41 x 2.0mm Thick x 3 Mtr	Black	
5	GI STRUT CHANNEL 41 x 21 x 1.5mm Thick x 3 Mtr	Z150(10UM)	14*28MM
6	GI STRUT CHANNEL 41 x 41 x 1.5mm Thick x 3 Mtr	Z150(10UM)	
7	GI STRUT CHANNEL 41 x 21 x 2.0mm Thick x 3 Mtr	Z150(10UM)	14*28MM
8	GI STRUT CHANNEL 41 x 41 x 2.0mm Thick x 3 Mtr	Z150(10UM)	
9	GI STRUT CHANNEL 41 x 21 x 1.5mm Thick x 3 Mtr	Z275(20UM)	14*28MM
10	GI STRUT CHANNEL 41 x 41 x 1.5mm Thick x 3 Mtr	Z275(20UM)	
11	GI STRUT CHANNEL 41 x 21 x 2.0mm Thick x 3 Mtr	Z275(20UM)	14*28MM
12	GI STRUT CHANNEL 41 x 41 x 2.0mm Thick x 3 Mtr	Z275(20UM)	
13	HDG STRUT CHANNEL 41 x 21 x 1.5mm Thick x 3 Mtr	HDG60UM	14*28MM
14	HDG STRUT CHANNEL 41 x 41 x 1.5mm Thick x 3 Mtr	HDG60UM	
15	HDG STRUT CHANNEL 41 x 21 x 2.0mm Thick x 3 Mtr	HDG60UM	14*28MM
16	HDG STRUT CHANNEL 41 x 41 x 2.0mm Thick x 3 Mtr	HDG60UM	





TRIUNE TECHNOFAB
PRIVATE LIMITED

Corporate Office:
Ghatala Towers, 2nd Floor, 19 Avenue Road,
Nungambakkam, Chennai - 600034, Tamil Nadu. Tel: +91-44-43009061

Triune Technofab Plant:
110 Tulsi Drive, Sri City SEZ, Satyavedu Mandal, Tirupati District - 517646,
Andhra Pradesh, India.



www.triunetchnofab.com